



# Material Safety Data Sheet

# DETAILS OF THE AUSTRALIAN SUPPLIER/IMPORTER: THE POWER SOURCE

Registered Company Name:	<b>Fax:</b>
The Power Source	+61 7 3440 9555
Address: 64 Link Drive Yatala QLD, 4207	Website: www.thepowersource.com.au
<b>Telephone:</b>	Emergency Contact Email:
1300 026 198	info@thepowersource.com.au

1. Chemical product and company identification		
Name of sample	Li-ion Battery DG Class 9	
Type/Model	12.8V 100Ah 1280Wh, 12.8V 128Ah 1638Wh, 12.8V 140Ah 1792Wh 12.8V 152Ah 1945Wh, 12,8V 200Ah 2560Wh	
Product Use	Electrical storage batteries for industrial, commercial and personal use.	
Inspection According	UN "Recommendations on the TRANSPORT OF DANGEROUS GOODS"	
Emergency Phone	1300 026 198	

2. Composition information			
Material or ingredient	Chemical Formula	CAS 号 CAS No.	Wt %
Lithium iron phosphate	LiFePO4	15365-14-7	38.09
Super-p	С	1333-86-4	0.62
Poly(vinylidene fluoride)	[-CH 2 -CF 2 -]n	24937-79-9	1.04
Styrene butadiene rubber	C 12 H 14	9003-55-8	0.34
Graphite	С	1333-86-4	20.01
Lithium hexafluorophosphate	LiPF6	21324-40-3	1.10
Copper Foil	Cu	7440-50-8	9.22
Aluminum Foil	Al	7429-90-5	4.00
Iron	Fe	7439-89-6	25.58

3. Hazards identification		
Explosive risk	This article does not belong to the explosion dangerous goods	
Flammable risk	This article does not belong to the flammable material	
Oxidation risk	This article does not belong to the oxidation of dangerous goods	
Toxic risk	This article does not belong to the toxic dangerous goods	
Radioactive risk	This article does not belong to the radiation of dangerous goods	
Mordant risk	This article does not belong to the corrosion of dangerous goods	

	This article is Li-ion Battery, Watt hour rate 1280Wh, 1638Wh, 1792Wh, 1945Wh, 2560Wh which belong to the Lithium ion batteries (including lithium polymer batteries)

# 4. First aid measures

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**Skin:** Remove contaminated clothes and rinse skin with plenty of water or shower for 15 minutes. Get medical aid.

Inhalation: Remove from exposure and move to fresh air immediately. Use oxygen if available.

**Ingestion:** Give at least 2 glasses of milk or water. Induce vomiting unless patient is unconscious. Call a physician.

# **5.Fire-fighting measures**

Flash Point: N/A.

Auto-Ignition Temperature: N/A.

Extinguishing Media: Water, CO.

#### **Special Fire-Fighting Procedures**

Self-contained breathing apparatus.

### **Unusual Fire and Explosion Hazards**

Cell may vent when subjected to excessive heat-exposing battery contents.

### **Hazardous Combustion Products**

Carbon monoxide, carbon dioxide, lithium oxide fumes.

# 6. Accidental release measures

#### Steps to be taken in case Material is Released or Spilled

If the battery material is released, remove personnel from area until fumes dissipate. Provide maximum ventilation to clear out hazardous gases. Wipe it up with a cloth, and dispose of it in a plastic bag and put into a steel can. The preferred response is to leave the area and allow the battery to cool and vapors to dissipate. Provide maximum ventilation. Avoid skin and eye contact or inhalation of vapors. Remove spilled liquid with absorbent and incinerate.

#### Waste Disposal Method

It is recommended to discharge the battery to the end, to use up the metal lithium inside the battery, and contact your nearest lithium battery recycler.

# 7. Handling and storage

The battery should not be opened, destroyed or incinerated, since they may leak or rupture and release to the environment the ingredients that they contain in the hermetically sealed container. Do not short circuit terminals, or over charge the battery, forced over-discharge, throw to fire. Do not crush or puncture the battery, or immerse in liquids.

### Precautions to be taken in handling and storing

Avoid mechanical or electrical abuse. Storage preferably in cool, dry and ventilated area, which is subject to little temperature change. Storage at high temperatures should be avoided. Do not place the battery near heating equipment, nor expose to direct sunlight for long periods.

#### **Other Precautions**

The battery may explode or cause burns, if disassembled, crushed or exposed to fire or high temperatures. Do not short or install with incorrect polarity.

# 8. Exposure controls/personal protection

#### **Respiratory Protection**

In case of battery venting, provide as much ventilation as possible. Avoid confined areas with venting cell cores. Respiratory Protection is not necessary under conditions of normal use.

#### Ventilation

Not necessary under conditions of normal use.

#### **Protective Gloves**

Not necessary under conditions of normal use.

#### **Other Protective Clothing or Equipment**

Not necessary under conditions of normal use.

#### Personal Protection is recommended for venting battery

Respiratory Protection, Protective Gloves, Protective Clothing and safety glass with side shields.

# 9. Physical and chemical properties

#### **Appearance:**

Odour: If leaking, smells of medical ether.

**pH:** Not applicable as supplied.

Flash Point: Not applicable unless individual components exposed.

Flammability: Not applicable unless individual components exposed.

Relative density: Not applicable unless individual components exposed.

Solubility (water): Not applicable unless individual components exposed.

Solubility (other): Not applicable unless individual components exposed.

# **10. Stability and reactivity**

Stability: Product is stable under conditions described in Section 7.

**Conditions to Avoid:** Heat above 70°C or incinerate. Deform. Mutilate. Crush. Disassemble. Overcharge. Short circuit. Expose over a long period to humid conditions.

Materials to avoid: Oxidising agents, alkalis, water.

Hazardous Decomposition Products : Toxic Fumes, and may form peroxides.

#### Hazardous Polymerization : N/A.

If leaked, forbidden to contact with strong oxidizers, mineral acids, strong alkalies, halogenated hydrocarbons.

# **11.** Toxicological information

Signs & symptoms: None, unless battery ruptures.

In the event of exposure to internal contents, vapour fumes may be very irritating to the eyes and skin.

Inhalation: Lung irritant.

**Skin contact:** Skin irritant.

**Eye contact:** Eye irritant

Ingestion: Poisoning if swallowed.

Medical conditions generally aggravated by exposure: In the event of exposure to internal contents, moderate to server irritation, burning and dryness of the skin may occur, Target organs nerves, liver and kidneys.

# **12. Ecological information**

Mammalian effects: None known at present.

**Eco-toxicity:** None known at present.

**Bioaccumulation potential:** Slowly Bio-degradable.

Environmental fate: None known environmental hazards at present.

# **13. Disposal consideration**

Do not incinerate, or subject cells to temperature in excess of 70°C, Such abuse can result in loss of seal leakage, and/or cell explosion. Dispose of in accordance with appropriate local regulations.

# 14. Transport information

Label for conveyance: Lithium Battery Label.

**UN** UN3480

UN Number: UN3480

PackagingGroup: N/A

EMS: F-AS-I

EmS No: F-A S-I

Marine pollutant: No

**Proper Shipping name:** Lithium ion batteries or with equipment (Including lithium ion polymer batteries)

**Hazard Classification 1**:The goods are complied with the requirements of section IB of Packing Instruction 965 of 64th DGR Manual of IATA(2023 Edition), Packing Instruction 188 of IMDG CODEAmdt. 40-20, including the passing of the UN38.3 test.

# **15. Regulation information**

Law information

Dangerous Goods Regulations

Recommendations on the Transport of Dangerous Goods Model Regulations

International Maritime Dangerous Goods

Technical Instructions for the Safe Transport of Dangerous Goods》

Classification and code of dangerous goods

Occupational Safety and Health Act(OSHA)

Toxic Substance Control Act(TSCA)

# **15. Regulation information Continued**

Consumer Product Safety Act(CPSA)

Federal Environmental Pollution Control Act》(FEPCA)

The Oil Pollution Act(OPA) (302/311/312/313)》 Superfund Amendments and Reauthorization Act TitleIII (302/311/312/313)

Resource Conservation and Recovery Act  $\$  (RCRA)

Safety Drinking Water Act(CWA) 65 California Proposition 65

Code of Federal Regulations(CFR)

In accordance with all Federal, State and local laws.